Issue Date 13-Dec-2012 Revision Date 26-Mar-2013 Version 1

# 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Identifier** 

**Product Name** Industrial Grade Silicone – Acetoxy Cure – Clear, White & Colors

Other Means of Identification

**SDS #** RD-0080A

Product Code 0816/OI, 0826OI Series

Recommended Use of the Chemical and Restrictions on Use

Recommended Use Silicone Sealant.

Details of the Supplier of the Safety Data Sheet

Company

Peco Fasteners 1218 Six Flags Road Austell, GA 30168

**Emergency Telephone** 

<u>Number</u>

Company Phone Number 770-745-1300

Fax: 770-745-1333

Emergency Telephone INFOTRAC 1-352-323-

3500 (International) 1-800-535-5053 (North America)

## 2. HAZARDS IDENTIFICATION

## Classification

Skin corrosion/irritation Category 2

Signal Word Warning

#### **Hazard Statements**

Causes skin irritation



Appearance Clear/opaque or colored Physical State Paste Odor Acetic Acid Odor (Vinegar odor) paste

### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

**Precautionary Statements - Response** 

IF ON SKIN: Wash with plenty of soap and water If skin irritation persist: Get medical advice/attention Take off contaminated clothing and wash before reuse

### **Hazards Not Otherwise Classified (HNOC)**

Not Applicable

#### Other Information

Not Applicable

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Hydroxy-terminated Dimethyl siloxane	70131-67-8	>50
Non-hazardous ingredients *	Proprietary	>10
Amorphous silica (glass)	7631-86-9	<13
Polydimethylsiloxane	63148-62-9	<10
Methyltriacetoxysilane	4253-34-3	<6
Titanium Dioxide	13463-67-7	<5
Ethyltriacetoxysilane	17689-77-9	<6

<sup>\*</sup> Unlisted ingredients are not considered hazardous under the OSHA GHS Hazard Communication Standard (29 CFR 1910.1200). (Methyltriacetoxysilane) Observe limits for acetic acid formed during curing on exposure to water or humid air. (Silica, amorphous;

Titanium Dioxide) Inhalation of particulates unlikely due to product's physical state

## 4. FIRST AID MEASURES

#### **First Aid Measures**

**General advice** Provide this SDS to medical personnel for treatment.

**Inhalation** If symptoms are experienced remove source of contamination or move victim to fresh air. If

irritation persists, obtain medical advice.

Eye Contact Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 5

minutes while holding the eyelid(s) open. Obtain medical attention.

**Ingestion** Rinse mouth thoroughly with water. If irritation or discomfort occurs, obtain medical advice.

Skin Contact No health effects expected. If irritation does occur, flush with lukewarm, gently flowing water

for 5 minutes. If irritation persists, obtain medical advise.

# Most Important Symptoms and Effects, both Acute and Delayed

Symptoms Causes skin irritation. May cause nose, throat & respiratory tract irritation. Direct contact

with eyes may cause temporary irritation.

# Indication of any Immediate Medical Attention and Special Treatment Needed

**Note to Physicians** Treat according to person's condition & specifics of exposure.

### Revision Date 26-Mar-2013

## 5. FIRE-FIGHTING MEASURES

### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Small Fire Use carbon dioxide (CO2), dry chemical or water spray.

**Large Fire** Use dry chemical, foam or water spray.

Unsuitable Extinguishing Media Not determined.

#### Specific Hazards Arising from the Chemical

Not determined.

**Hazardous combustion products**Carbon oxides & traces of incompletely burned carbon compounds. Silicon dioxide. Formaldehyde.

#### **Protective Equipment and Precautions for Firefighters**

Self-contained breathing apparatus & protective clothing should be worn in fighting large fires involving chemicals. Determine the need to evacuate or isolate the area according to your local emergency plan. Use water spray to keep fire exposed containers cool.

## 6. ACCIDENTAL RELEASE MEASURES

# Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions Observe all personal protection equipment recommendations described in Sections 5 & 8.

**Environmental Precautions** See Section 12 for additional ecological information.

#### Methods and Material for Containment and Cleaning Up

Methods for Containment Prevent further leak

**Methods for Cleaning Up** 

Prevent further leakage or spillage if safe to do so. Use absorbent material to contain spill. Wipe up or scrape up & contain for salvage or disposal. Clean area as appropriate since spilled materials, even in small quantities, may present a slip hazard. Final cleaning may

require use of steam, solvents or detergents. Dispose of saturated absorbent or cleaning materials appropriately, since spontaneous heating may occur. Local, state & federal laws & regulations may apply to releases & disposal of this material as well as those materials & items employed in the cleanup of releases. You will need to determine which federal,

state

& local laws & regulations are applicable. Sections 13 & 15 of this MSDS provide information regarding certain federal & state requirements.

# 7. HANDLING AND STORAGE

### **Precautions for Safe Handling**

Advice on Safe Handling

Handle in accordance with good industrial hygiene and safety practice. Wash face, hands, and any exposed skin thoroughly after handling. Use personal protection recommended in Section 8. Use only in well-ventilated areas. Avoid contact with skin and eyes. Product evolves acetic acid (HOAc) when exposed to water or humid air.

## Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions Keep container closed & store away from water or moisture.

Incompatible Materials Oxidizing material can cause a reaction. Water, moisture or humid air can cause

hazardous vapors to form as described in Section 8.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines Exposure guidelines / protective equipment are for routine handling and accidental spills

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Amorphous silica (glass) 7631- 86-9	-	(vacated) TWA: 6 mg/m³ <1% Crystalline silica TWA: 20 mppcf : (80)/(% SiO2) mg/m³ TWA	IDLH: 3000 mg/m <sup>3</sup> TWA: 6 mg/m <sup>3</sup>
Titanium Dioxide 13463- 67-7	TWA: 10 mg/m <sup>3</sup>	TWA: 15 mg/m³ total dust (vacated) TWA: 10 mg/m³ total dust	IDLH: 5000 mg/m <sup>3</sup>

Other Information

Acetic acid is formed upon contact w/ water or humid air. Provide adequate ventilation to control exposures within guidelines of OSHA PEL: TWA 10 ppm & ACGIH TLV: TWA 10 ppm, STEL 15 ppm.

### **Appropriate Engineering Controls**

Engineering Controls Ventilation must be adequate to maintain the ambient workplace atmosphere below the

exposure limit(s) outlined in the SDS. Good general ventilation should be sufficient.

#### Individual Protection Measures, such as Personal Protective Equipment

**Eye/Face Protection** Safety glasses as a minimum for protection.

**Skin and Body Protection** Wear suitable protective clothing.

**Respiratory Protection** No special equipment needed.

**General Hygiene Considerations** 

Note: These precautions are for room temperature handling. Use @ elevated temperature or aerosol/spray applications may require added precautions. Handle in accordance with good industrial hygiene and safety practice. Wash @ mealtime & end of shift.

Contaminated clothing & shoes should be removed as soon as practical & thoroughly

cleaned before reuse.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on Basic Physical and Chemical Properties

Physical State Paste

 Appearance
 Clear/opaque or colored paste
 Odor
 Acetic Acid Odor (Vinegar odor)

 Color
 Various
 Odor threshold
 Not determined

Property Values Remarks • Method

pH Not determined
 Melting point/freezing point Not determined
 Boiling point/boiling range Not determined
 Flash point Not applicable

letermined

#### & Colors

@ 25 °C (77 °F)

Evaporation rate Not determined Flammability (solid, gas) Not determined

Flammability limits in air

Upper flammability limits
Lower flammability limit
Vapor pressure
Vapor density

Not determined
Not determined
Not determined
Not determined

Specific gravity ~1.04

Water solubility
Solubility in other solvents
Partition coefficient
Autoignition temperature
Decomposition temperature
Not determined
Not determined
Not determined
Not determined

Dynamic viscosity

Not determined

Explosive properties

Not determined

Oxidizing Properties

Not determined

**Other Information** 

Kinematic viscosity

**Additional information**Note: The above information is not intended for use in preparing product specifications

**VOC Content (%)** < 3%/wt (< 40 g/L)

# 10. STABILITY AND REACTIVITY

#### Reactivity

Not reactive under normal conditions

#### **Chemical Stability**

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

**Hazardous polymerization** Hazardous polymerization does not occur.

Not determined

#### **Conditions to Avoid**

Incompatible Materials.

### **Incompatible Materials**

Oxidizing material can cause a reaction. Water, moisture or humid air can cause hazardous vapors to form as described in Section 8.

## **Hazardous Decomposition Products**

Thermal breakdown of this product during fire or very high heat conditions may evolve the following decomposition products: Carbon oxides & traces of incompletely burned carbon compounds. Silicon dioxide. Formaldehyde, Nitrogen oxides & metal oxides.

## 11. TOXICOLOGICAL INFORMATION

### Information on Likely Routes of Exposure

**Product Information** 

**Inhalation** May cause irritation of respiratory tract.

**Eye Contact** May cause temporary irritation on eye contact.

**Skin Contact** Ingestion

Causes skin irritation. Can be absorbed through the skin. Can be harmful if swallowed.

### **Component Information**

Chemical Name Oral LD50		Dermal LD50	Inhalation LC50
Amorphous silica (glass) 7631- > 5000 mg/kg (Rat 86-9		> 2000 mg/kg (Rabbit)	> 2.2 mg/L (Rat)1 h
Polydimethylsiloxane 63148- > 17 g/kg ( Rat ) 62-9		> 2 g/kg (Rabbit)	-
Methyltriacetoxysilane 4253- 34-3 = 2060 mg/kg ( Rat )		-	-
Titanium Dioxide 13463- 67-7	> 10000 mg/kg(Rat)	-	-

# Information on Physical, Chemical and Toxicological Effects

**Symptoms** 

Carcinogenicity

Please see section 4 of this SDS for symptoms.

## Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

Titanium dioxide is a possible carcinogen when it appears as a respirable dust.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Amorphous silica (glass) 7631-86-9		Group 3		
Titanium Dioxide 13463- 67-7		Group 2B		Х

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Group 3 IARC components are "not classifiable as human carcinogens"

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

## **Numerical Measures of Toxicity- Product**

Not determined

# 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Amorphous silica (glass) 7631-86-9	440: 72 h Pseudokirchneriella subcapitata mg/L EC50	5000: 96 h Brachydanio rerio mg/L LC50 static		7600: 48 h Ceriodaphnia dubia mg/L EC50

## Persistence and Degradability

Complete information is not yet available.

## **Bioaccumulation**

Complete information is not yet available.

### Mobility

Complete information is not yet available.

\_\_\_\_\_

### Other Adverse Effects Not determined

# 13. DISPOSAL CONSIDERATIONS

## **Waste Treatment Methods**

Disposal of Wastes

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

### 14. TRANSPORT INFORMATION

**Note**Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances

**DOT** Not regulated

IATA Not regulated Not regulated Not regulated

# 15. REGULATORY INFORMATION

# International Inventories Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

## **US Federal Regulations**

# SARA 311/312 Hazard Categories

Acute health hazardNoChronic Health HazardNoFire hazardNoSudden release of pressure hazardNoReactive HazardNo

## **US State Regulations**

Chemical Name	California Proposition 65	
Titanium Dioxide - 13463-67-7	Carcinogen	

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Amorphous silica (glass) 7631-86-9	X	X	Х
Titanium Dioxide 13463- 67-7	X	X	X

## **U.S. EPA Label Information**

16. OTHER INFORMATION					
NFPA Health Hazards Flammability Instability Special Hazards					
	1	1	0	Not determined	
<u>HMIS</u>	Health Hazards	Flammability	Physical Hazards	Personal Protection	
	1	0	0	B- Safety Glasses,	
				Gloves	

Issue Date13-Dec-2012Revision Date26-Mar-2013

Revision Note New format Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**