

Article Number: 852-40002

Category 6a Shielded Modular Jack Bulk Pack, Stainless Steel, 12/box



### Base Data

Local Order Number RJ45FC6AS12

Type KSJ08SC6A-12

Color Mill Finish (MLFS)

- Features and Benefits**
- Deca10 Keystone Jack has been uniquely designed adopting HellermannTyton's globally tried and tested 10-Pin technology which guarantees superior performance and connectivity.
  - Deca10 Category 6A system offers backward compatibility with Category 6, Category 5e, Category 5 and voice products.
  - Tested to exceed ISO/EIA 11801:2002 amendment 1.1 and ANSI/TIA/EIA 568 - C.2.

**Product Description** HellermannTyton's Deca 10 Shielded Category 6a jack is designed to support your 10G installation needs. Its design includes HellermannTyton's innovative 10 pin technology which helps to guarantee superior performance while exceeding the TIA/EIA Category 6a standard. All eight terminations are made at once using our hand termination tool (HT6ASCT) which helps ensure quality and consistency of the connections. Once terminated, jacks are compatible with shielded modular patch panels (PP24MOD6AS and PP24SMOD6AS) and modular faceplates (FPM-X and inserts).

**Performance Category** Category 6A (Class EA)

Port count 1

Sub Category Jack

**Technical Description** The Deca10 Keystone Jack has been uniquely designed adopting HellermannTyton's globally tried and tested 10-Pin technology which guarantees superior performance and connectivity. Tested to exceed ISO/EIA 11801:2002 amendment 1.1 and ANSI/TIA/EIA 568 - C.2 standards, the Deca10 Category 6A system offers backward compatibility with Category 6, Category 5e, Category 5 and voice products.

**Short Description** Category 6a Shielded Modular Jack Bulk Pack, Stainless Steel, 12/box

### Product Dimensions

Width W (imperial) 0.63 "

Width W (metric) 16.0 mm

Height H (imperial) 0.91 "

Height H (metric) 23.0 mm

Depth D (imperial) 1.42 "

Depth D (metric) 36.0 mm

### Logistics and Packaging

Package Quantity (imperial) 12

Package Quantity 12

Carton Quantity 1

### Material and Specifications

