

LED Dimmable A-Lamps 15,000 Hour • Omni-Directional

High efficiency A-Lamps. Light output in all directions to suit many applications.

Limitless options for the following applications:

- General Lighting
- Floor Lamps
- Ceiling Fixtures

- Table Lamps
- Sconces

Great features and benefits:

- Energy efficient: up to 85% more efficient than incandescent alternatives
- Smooth, uniform dimming
- Long life: 15,000 hours
- Similar look and feel as incandescent alternative
- **Excellent color consistency**
- Available in 2700K, 3000K, 4000K and 5000K
- Fits any installations where a standard A-lamp is used









LED

15,000 hours average rated life, 120 volts


Applications:

Ideal for applications where uniform multi-directional light output is required.

- **★** Table Lamps
- **★** Floor Lamps
- **+** Sconces
- + Ceiling Fixtures
- **◆** Decorative Fixtures



	Features	Benefits					
	Up to 85% less energy than halogen alternatives	Instant energy savings					
	Long life	Minimizes replacement and maintenance costs					
	Very low heat generation	Perfect for sensitive display lighting such as art galleries					
	Excellent color consistency and CRI	Enhances colors of focal point while maintaining uniformity throughout lighting installation from lamp to lamp					
	UL approved for damp location	Can be used outdoors when protected from elements — withstands humidity indoors/outdoors					
	Shatter resistant	Lower the risk of injury and breakage					
	ANSI construction compliant	Fits all A-lamp installations					
	9W rated for totally enclosed fixtures	Can be used in totally enclosed luminaires					



Specifications	
Input Line Voltage:	120 VAC
Input Power	See Chart
Input Line Frequency	50/60HZ
Lamp Life (Rated)	15,000 hrs
Minimum Starting Temp	30℃
Maximum Operating Temp	40°C
CRI	80





Warranty	Item#	Description	Energy Star® RATED	Voltage	Wattage	Incandescent/Halogen Wattage Comparison	Lumens	LPW	ССТ	CRI	M.O.L. (inches)	Diameter (inches)	Enclosed/ Recessed Luminaire
	LED A19 Lamps												
	LED9A19D27K	LED 9W A19 DIM 2700K	*	120	9	60	800	88.9	2700K	80	4.2	2.4	Υ
	LED9A19D30K	LED 9W A19 DIM 3000K	*	120	9	60	825	91.7	3000K	80	4.2	2.4	Υ
	LED9A19D41K	LED 9W A19 DIM 4000K	*	120	9	60	850	94.4	4000K	80	4.2	2.4	Υ
→ YEAR	LED9A19D50K	LED 9W A19 DIM 5000K	*	120	9	60	850	94.4	5000K	80	4.2	2.4	Υ
3 WARRANTY	LED A21 Lamps												
	LED15A21D27K	LED 15W A21 DIM 2700F	(*	120	15	100	1600	106.7	2700K	80	5.2	2.7	N
	LED15A21D30K	LED 15W A21 DIM 3000F	(*	120	15	100	1625	108.3	3000K	80	5.2	2.7	N
	LED15A21D41K	LED 15W A21 DIM 4000H	(*	120	15	100	1650	110.0	4000K	80	5.2	2.7	N
	LED15A21D50K	LED 15W A21 DIM 5000H	(*	120	15	100	1650	110.0	5000K	80	5.2	2.7	N
	For the most up-to-date specs, please visit www.tcpi.com												









15,000 Hour • Omni-Directional

LED Dimmer Compatibility

								OMNI	OMNI
NO #	BRAND	FAMILY	MODEL #	LOAD TYPE	LOAD TYPE	RATED LOAD	CUT PHASE	A19 60WE	A19 100WE
1	Leviton	Sureslide	06674-POB	LED and CFL/600-Watt Incandescent Dimmer	R/L/C	150W	Forward Phase	1	1
2	Leviton	Sureslide	06672-1LT	LED/CFL Incandescent Slide-To-Off Dimmer	R/L/C	150W	Forward Phase	3	1)
3	Leviton	Sureslide	06631-1LT	Single-Pole Incandescent Slide Dimmer	R	600W	Forward Phase	1)	1
4	Leviton	Sureslide	06633-PLI	Preset Incandescent Dimmer, Single Pole or 3-Way	R	600W	Forward Phase	1	1
5	Leviton	Vizia	VPIO6-1LZ	120 VAC LED Locator Single-Pole and 3-Way C IllumaTech Preset Slide Dimmer		600W	Forward Phase	1	1
6	Leviton	Decora Sureslide	IPL06	LED/CFL Universal Dimmer	R/L/C	150W	Forward Phase	1	1
7	Lutron	Diva	DVCL-153P	CFL/LED Dimmer	R/C	150W	Forward Phase	1	1
8	Lutron	Skylark	SCL-153PR	CFL/LED Dimmer	R/C	150W	Forward Phase	1	1
9	Lutron	Maestro	MACL-153M	CFL/LED Digital Dimmer	R/C	150W	Forward Phase	1	1
10	Lutron	Contour	TGCL-153PM	CFL/LED Dimmer	R/C	150W	Forward Phase	1	1
11	Lutron	Contour	DV-600P	Incandescent	R	600W	Forward Phase	1	1
12	Lutron	Diva	DVLV-600P	Incandescent	R	600W	Forward Phase	1	1
13	Lutron	Diva	DVELV-303P	Incandescent	R	300W	Forward Phase	3	1
14	Lutron	Contour	CTCL-153PDH-WH	CFL/LED	R/C	150W	Forward Phase	1	1
15	Lutron	Skylark	S-600P-WH	Incandescent	R	600W	Forward Phase	1	1
16	Cooper	ASPIRE	ASPIRE-9530	Incandescent	R	600W	Forward Phase	1	1
17	Cooper	ASPIRE	9573	LED/CFL/INC Full Slide Dimmer	R/L/C	300W	Forward Phase	1	1

Professional, full range has perfect performance

② Good, has issue in some points but likely not an issue to typical consumer

3 Underperforming, flicker and buzzing

*Information above is to be considered as guidance

LOAD TYPE

R type load: GLS, HV Halogen

L type load: LV Halogen with magnetic transformer

C type load: LV Halogen with electronic transformer

⊒**∏**⊗ ⊒∕]⊗



CREATING BEAUTY

Thanks to our cutting edge technology and manufacturing expertise, we have shipped billions of high quality lamps. Our integrated technology and manufacturing provides expedited time-to-market. With TCP, you can count on unique lighting products designed to meet very specific needs—lighting that transforms your surroundings and envelopes you in warmth—lighting that generates beauty with every flip of the switch.

