


Catalog No. GE1LU532SS



Description GERV,100AMLO,UNMTR,50/30/20,SURF,SGL,N3R

UPC No 783164324242

Products > Power Pedestals > Recreational Vehicles > Surface

General Electric's metallic RV units are manufactured using 16-gauge, galvanized zinc-coated steel and NEMA 3R construction, which resists corrosion and fading and provides lasting service in outdoor applications. Units are available in surface mount and earth burial or pad mount posts, metered or un-metered, offering a wide range of receptacle configurations to fit your needs.

Specifications

Descriptors

| | |
|-------------|---------|
| Category | Surface |
| GO Schedule | Q4 |

Specifications

| | |
|---------------------|------------------------------|
| Heads | 1 |
| Metering | Unmetered |
| Receptacles | 50/30/20GFCI |
| Light Option Head 1 | No |
| Amperage | 100 A |
| Feed | Top Or Bottom |
| Hub Provision | Yes |
| Installed Breaker | THQL1120, THQL1130, THQL2150 |
| Phase | 1 |
| Service Entrance | Yes |
| Voltage | 120/240 V |
| Enclosure | N3R 9X17 |
| GSA Compliance | No |

Classifications

| | |
|------------------|-----------|
| Stock Class Code | Non-Stock |
|------------------|-----------|

Dimensions

| | |
|--------|---------|
| Weight | 16.0 lb |
|--------|---------|

Approvals

Certification

UL/CUL

Publications

| Title | Publication No. | Publication Type |
|---|-----------------|----------------------------------|
| GE RV Park Power Equipment 1 page. Model Number Nomenclature, and Features and Benefits. | DET-709A | Brochures |
| GE1LU532SS Dimensional Drawing 20A RECEIPT - SURFACE MOUNTED -SINGLE SIDED - G90 - N3R | GE1LU532SS | Drawings-Outline and Dimensional |

Additional Documentation: Visit our [Publication Library](#) to find technical documentation, time current curves, CSI Specifications and promotional literature.