

CADDY[®]

Fire Sprinkler Hanging & Bracing Products



ERICO[®]

Innovative Products From a Trusted Leader

For more than 100 years, ERICO has built a reputation for producing high-quality, precision-engineered products and solutions. The CADDY® Mechanical line provides contractors with innovative solutions for the fire protection, seismic, plumbing and HVAC industries. Products include riser clamps, beam and purlin clamps, loop hangers, seismic sway bracing products, standard mechanical hangers and supports, and much more.

ERICO is recognized as an industry leader in innovative product development. Many of its proprietary products are the result of internal engineering efforts and are based on industry feedback, in conjunction with product development and state-of-the-art manufacturing processes.

ERICO sells its products through well-established global distribution networks serving more than 25 countries. With manufacturing and distribution facilities worldwide, expedient delivery and top-notch service is available on a global basis to a highly diversified customer base.

If you're looking for high-quality products that comply with codes, standards and best practices, trust CADDY – the name that's synonymous with innovative, timesaving products in the fire protection industry.



Count on CADDY®

ERICO makes it easy to find the solutions you need for your fire protection installations. CADDY hangers, supports and braces are easy to install and feature durable finishes, such as electro-zinc plating, hot-dipped galvanized or stainless steel, for long-lasting performance. CADDY products have successfully passed rigorous testing requirements and many are also UL® Listed and FM, VdS and LPCB approved (contact your ERICO representative for approval information on your specific product). They also feature innovative designs and are quicker to assemble than conventional products.

In addition to offering a wide range of time-saving, cost-effective CADDY products and solutions, ERICO also provides superior customer support and technical expertise. Whether you're searching for an easier-to-install alternative to the standard nut-and-bolt-style clevis hanger or your application requires a wide range of stainless steel suspension products, you can count on CADDY.

For more information about CADDY products and how they can best suit your needs, visit www.erico.com or contact your nearest ERICO representative.



Many ERICO products are UL Listed or FM or VdS approved. Please contact your ERICO representative for approval information.



Beam Clamps and Retainer Straps

Support threaded rod with structural attachments to beam flanges, purlins, channel or angle iron. Stainless steel provides extra protection and increased longevity in outdoor or corrosive environments. Retainer straps available for use with 300, 310 and TK300 series beam clamps.



CADDY® ROD LOCK Beam Clamp CRLBXXEG (Imperial, Metric)



Universal Beam Clamp 300 (Imperial) TK300 with hexagonal bolt (Metric)



Universal Beam Clamp – Large Opening 310 (Imperial) BTK310 with hexagonal bolt (Metric)



Universal Beam Clamp 280 (Imperial)



Purlin Hanger 315 (Imperial, Metric)



Purlin Clamp PH (Imperial, Metric)



Purlin Clamp With Swivel PHSW (Imperial, Metric)



Purlin Clip D1/D2/D3 (Metric)



Beam Clamp Retainer Strap 300C (Imperial)



Beam Clamp Retainer Strap 35RS (Imperial)



SL Retainer Strap (Metric)

Stainless Steel Products

Stainless steel provides extra protection and increased longevity in outdoor or corrosive environments.



Swivel Loop Hanger 105 (Imperial, Metric)



Standard-Duty Clevis Hanger 406 (Imperial, Metric)



Top-Mount Beam Clamp 305 (Imperial, Metric)

CADDY® Bracing Systems Calculator

Innovative CADDY® product designs simplify installation to save you time and money. Our CADDY Bracing Systems design calculation software for fire protection will simplify the submittal process. The four-step program walks you through various editions of NFPA-13, as well as various editions of the IBC and other building codes. The output of the program provides the necessary submittal forms for your engineer or the Authority Having Jurisdiction (AHJ). The software is suitable for both rigid and cable sway bracing products. Exclusively for use with CADDY Bracing Systems products.

Rigid Sway Bracing

Save time and money with CADDY® brand of sway bracing products!



Lateral Bracing



Longitudinal Bracing

Lateral and Longitudinal Bracing

- Snap-off bolt heads help enable easy installation and inspection of seismic sway braces.
- Adjustable designs accommodate multiple pipe sizes and beam widths, reducing the need for extra inventory.
- Products are UL® Listed, FM Approved and meet NFPA requirements for seismic applications.



Sway Bracing Structural Attachments




Bar Joist Adaptor
CSBBAR (Imperial, Metric)



I-Beam Adaptor
CSBIB (Imperial, Metric)



Universal Structural Attachment
CSBUNIV (Imperial, Metric)



Multi-Attachment
CSBMA (Imperial, Metric)

Lateral & Longitudinal



Easy Universal Lateral and
Longitudinal Sway Brace
CSBEZU (Imperial, Metric)



Standard Universal Lateral and
Longitudinal Sway Brace
CSBSTU (Imperial, Metric)



Quick Grip Lateral Sway Brace
CSBCL (Imperial, Metric)
CSBCSE (Imperial, Metric)



Quick 4-Way Longitudinal
Sway Brace
TP240 (Imperial, Metric)

Sway Bracing Accessories



Vertical Rod Stiffener
CSBRS37EG



Seismic Hinge
CSBSH

Cable Sway Bracing



- Cable sway bracing products can be used for full seismic installations for fire protection lines, and are particularly helpful for elongated drops.
- Flexible enough to be installed in retrofit applications or spaces already crowded with other building services.
- Most cable sway bracing products are UL® Listed, OSHPD approved and meet NFPA13 requirements for seismic sway bracing. Please contact your ERICO representative for approval information.



Cable Sway Bracing Kits



Kits for Attachment to Concrete —
3/8" stake eye
CSBxxBD38Lxx



Kits for Attachment to Concrete —
1/2" stake eye
CSBxxBD50Lxx



Kits for Loop Attachment to Bar Joists
CSBxxB00Lxx



Cable Sway Bracing Bulk Accessories



Cable Spools
CSBxxCBL



Copper Crimp Sleeves
CSBxxSLVB



Rod Stiffener
CSBRS1



No Pry Clip
CSBNPC12



Universal Restraint Clips
Standard
CSBURCxx



Universal Restraint Clips
Retrofit
CSBURCRxx



Universal Restraint Clips
For #48 Cable
CSBURC48xx



Concrete Anchor
Expansion Bolt
CSBCABxxxxxxEG
(Imperial, ICC Approved
Metric, ETA Approved)



Concrete Anchor Lag Screw
CSBCASxxxxxxEG
(Imperial, ICC Approved
Metric, ETA Approved)

Cable Sway Bracing Tools



3 Cavity Hand Swaging Tool
for #12, #18, #36 Cable
CSB3346SB



Hand Swager for #12 Cable
CSB13SBHS



Cable Cutter for #12 & #18 Cable
SLWC



Cable Cutter for #12, #18,
#36 & #48 Cable
CSBC9



Hand Swager for #48 Cable
CSB48



Battery Operated Hand Swager
CSBHS02



Die Sets for Battery Operated Hand Swager
CSBDxx

Fire Sprinkler Hangers

ERICO offers a complete range of innovative and time-saving pipe hangers and supports for fire protection, including the CADDY® SLOT LOCK and 510 and 512 CQ Riser Clamps.



Loop Hanger
115 (Imperial)



Swivel Loop Hanger
112 (Imperial)
112M (Metric)



Loop Hanger Surge Restraint
LHSR6 (Imperial, Metric)



Loop Hanger
FCS (Metric)



Loop Hanger Without Nut
EPB Plus (Metric)



Standard-Duty Clevis Hanger
401 (Imperial, Metric)



Light-Duty Clevis Hanger
410 (Imperial, Metric)



Standard-Duty Clevis Hanger
CADDY SLOT LOCK
(Imperial, Metric)



Split Ring Hanger –
Non Insulated
CADDY® MACROFIX PLUS NI 429
429 (Imperial, Metric)



Heavy-Duty Pipe Clamp –
Non Insulated
HDPC (Metric)



Heavy-Duty Pipe Clamp –
Silicon Rubber Insulated
HDPCI (Metric)



U-Bolt
150M (Imperial)
U-Bolt DIN (Metric)



Heavy Duty Pipe Clamp
RS DIN
(Metric)



510 Riser Clamp
(Imperial, Metric)



512 Riser Clamp CQ
(Imperial)



CPVC Fire Sprinkler Hangers and Accessories


Recommended for the suspension of CPVC sprinkler pipes in fire protection applications — flared edges protect the CPVC piping.



One-Hole Wrap Around Strap
107 (Imperial, Metric)



Two-Hole Strap
108 (Imperial, Metric)



Side-Mount Strap
109 (Imperial, Metric)



Stand-Off Two-Hole Strap
SOSR (Imperial, Metric)



Loop Hanger
112 (Imperial, Metric)



Loop Hanger Without Nut
EPB Plus (Metric)



Split Ring Hanger – Non Insulated
CADDY® MACROFIX PLUS NI 429
429 (Imperial, Metric)



Split Ring Hanger – Insulated
CADDY® MACROFIX PLUS LF 430
430 (Imperial, Metric)




Light-Duty Clevis Hanger
410 (Imperial, Metric)




Protection Plate
304B2 (Imperial)



Easy Snap Grommet
ESGP (Imperial)



Easy Snap Grommet for Fire
Protection
ESGFP (Imperial)



Sprinkler Head Offset Bracket
SHBI

Hardware and Anchors

ERICO offers a variety of hardware and accessories for the fire protection market.



Concrete Anchor Expansion Bolt
CSBCABxxxxxEG
(Imperial, ICC Approved
Metric, ETA Approved)



Concrete Anchor Lag Screw
CSBCASxxxxxEG
(Imperial, ICC Approved
Metric, ETA Approved)



Threaded Rod
50 (Imperial)
TFZ (Metric)



Steel Hex Nut
10 (Imperial)
HM (Metric)
Heavy-Duty Steel Hex Nut
10H (Imperial)



Rod Coupling
25 (Imperial)
EM / EM-HEX / EM-HEX I
(Metric)



Washer
11/12 (Imperial)
MU (Metric)



Woodscrew
HWB (Metric)



Toggle Screw
MTVB (Metric)



HangerMate® HMZ Anchors
(Imperial)



Drop-In Anchor
345R (Imperial)
CA (Metric)



Concrete Anchor Bolt
SAB (Metric)

Structural Attachments

Support threaded rod or pipe from ceilings or walls, concrete or structural steel members for a variety of fire protection, plumbing and piping applications.




Rod Hanger
37 (Imperial)
FSE (Metric)



Rod Hanger
38 (Imperial)
FSO (Metric)



Trapeze Decking Hanger
TBHK (Metric)



Steel Side Beam Attachment
325/326 (Imperial)
SBA (Metric)




Cantilever Arms and Strut

ERICO offers a variety of strut profile and accessories as part of the CADDY® line of fasteners and fixings. Range varies by region.



Cantilever Bracket
SCT



Triangular Cantilever Arm



Cantilever Support
C E4 SB



Cantilever Arm
CUC



CADDY® ERISTRUT Strut Profile



Strut Nuts



Strut Cantilever Arm
ECB



Back-to-Back Strut
Cantilever Arm
CDDC



Strut Beam Clamps

When you're looking for easy-to-install, cost-effective solutions for your fire protection installations, choose products with a name you trust – CADDY®.

For full details on the products listed in this brochure, or information on any other products for your fire protection, seismic, plumbing and HVAC projects, visit www.erico.com or contact your nearest ERICO representative.

WARNING

ERICO products shall be installed and used only as indicated in ERICO's product instruction sheets and training materials. Instruction sheets are available at www.erico.com and from your ERICO customer service representative. Improper installation, misuse, misapplication or other failure to completely follow ERICO's instructions and warnings may cause product malfunction, property damage, serious bodily injury and death.

WARRANTY

ERICO products are warranted to be free from defects in material and workmanship at the time of shipment. NO OTHER WARRANTY, WHETHER EXPRESS OR IMPLIED (INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE), SHALL EXIST IN CONNECTION WITH THE SALE OR USE OF ANY ERICO PRODUCTS. Claims for errors, shortages, defects or nonconformities ascertainable upon inspection must be made in writing within 5 days after Buyer's receipt of products. All other claims must be made in writing to ERICO within 6 months from the date of shipment or transport. Products claimed to be nonconforming or defective must, upon ERICO's prior written approval in accordance with its standard terms and procedures governing returns, promptly be returned to ERICO for inspection. Claims not made as provided above and within the applicable time period will be barred. ERICO shall in no event be responsible if the products have not been stored or used in accordance with its specifications and recommended procedures. ERICO will, at its option, either repair or replace nonconforming or defective products for which it is responsible or return the purchase price to the Buyer. THE FOREGOING STATES BUYER'S EXCLUSIVE REMEDY FOR ANY BREACH OF ERICO WARRANTY AND FOR ANY CLAIM, WHETHER SOUNDING IN CONTRACT, TORT OR NEGLIGENCE, FOR LOSS OR INJURY CAUSED BY THE SALE OR USE OF ANY PRODUCT.

LIMITATION OF LIABILITY

ERICO excludes all liability except such liability that is directly attributable to the willful or gross negligence of ERICO's employees. Should ERICO be held liable its liability shall in no event exceed the total purchase price under the contract. ERICO SHALL IN NO EVENT BE RESPONSIBLE FOR ANY LOSS OF BUSINESS OR PROFITS, DOWNTIME OR DELAY, LABOR, REPAIR OR MATERIAL COSTS OR ANY SIMILAR OR DISSIMILAR CONSEQUENTIAL LOSS OR DAMAGE INCURRED BY BUYER.


ERICO®



www.erico.com



AUSTRALIA
Phone 1-800-263-508
Fax 1-800-423-091



CHINA
Phone +86-21-3430-4878
Fax +86-21-5831-8177



HUNGARY
Phone 06-800-16538
Fax +39-0244-386-107



NORWAY
Phone 800-100-73
Fax 800-100-66



SWITZERLAND
Phone 0800-55-86-97
Fax 0800-55-96-15



BELGIUM
Phone 0800-757-48
Fax 0800-757-60



DENMARK
Phone 808-89-372
Fax 808-89-373



INDONESIA
Phone +62-21-575-0941
Fax +62-21-575-0942



POLAND
Phone +48-71-349-04-60
Fax +48-71-349-04-61



THAILAND
Phone +66-2-267-5776
Fax +66-2-636-6988



BRAZIL
Phone +55-11-3623-4333
Fax +55-11-3621-4066



FRANCE
Phone 0-800-901-793
Fax 0-800-902-024



ITALY
Phone 800-870-938
Fax 800-873-935



SINGAPORE
Phone +65-6-268-3433
Fax +65-6-268-1389



UNITED ARAB EMIRATES
Phone +971-4-881-7250
Fax +971-4-881-7270



CANADA
Phone 1-800-677-9089
Fax 1-800-677-8131



GERMANY
Phone 0-800-189-0272
Fax 0-800-189-0274



MEXICO
Phone +52-55-5260-5991
Fax +52-55-5260-3310



SPAIN
Phone 900-993-154
Fax 900-807-333



UNITED KINGDOM
Phone 0808-2344-670
Fax 0808-2344-676



CHILE
Phone +56-2-370-2908
Fax +56-2-369-5657



HONG KONG
Phone +852-2764-8808
Fax +852-2764-4486



NETHERLANDS
Phone 0800-0200-135
Fax 0800-0200-136



SWEDEN
Phone 020-790-908
Fax 020-798-964



UNITED STATES
Phone 1-800-753-9221
Fax +1-440-248-0723

FM is a registered certification mark of FM Approvals LLC.
HangerMate is a registered trademark of Textron Inc.
LPCB is a certification mark of BRE Global.
UL and cULus are registered trademarks of Underwriters Laboratories, Inc.
VdS is a registered trademark of VdS Schadenverhütung GmbH.

Copyright ©2009, 2010 ERICO International Corporation. All rights reserved.
CADDY, CADWELD, CRITEC, ERICO, ERIFLEX, ERITECH, and LENTON are registered trademarks of ERICO International Corporation.

M893B-WWEN M229LT10WWEN 01M0910